

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/22/2020 Revision date: 03/28/2021 Version: 4.0

SECTION 1: IDENTIFICATION

1.1. IDENTIFICATION

Product Name : Chemical Guys AIR233 Fresh Glazed Doughnut Scent Air Freshener & Odor Eliminator

Product form : Mixture

Part Numbers : AIR233, AIR23316, AIR23304

1.2. RECOMMENDED USE AND RESTRICTIONS ON USE

No additional information available

1.3. SUPPLIER

Chemical Guys

14108 S. Western Ave. Gardena CA 90249 Phone: 866-822-3670 Fax: 310-988-1061

E-mail: info@ChemicalGuys.com Web: www.ChemicalGuys.com

1.4. EMERGENCY TELEPHONE NUMBER

Phone: 866-822-3670

SECTION 2: HAZARD(S) IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS-US classification

Eye Irrit. 2A H319 Skin Sens. 1 H317

2.2. GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

GHS US labelling

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Precautionary statements (GHS US) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, chemical goggles, & face protection



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/22/2020 Revision date: 03/28/2021 Version: 4.0

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P321 - Specific treatment (see supplemental first aid instruction on this label).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. OTHER HAZARDS WHICH DO NOT RESULT IN CLASSIFICATION

No additional information available

2.4. UNKNOWN ACUTE TOXICITY (GHS US)

Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. SUBSTANCES

Not applicable

3.2. MIXTURES

| Name | Product identifier | %* |
|---|--------------------|---------|
| Alcohols, C9-11, ethoxylated | 68439-46-3 | 1.0-5.0 |
| Isopropyl alcohol | 67-63-0 | 1.0-5.0 |
| 3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)- | 31906-04-4 | 0.1-1.0 |
| 1,3-Benzodioxole-5-carboxaldehyde | 120-57-0 | 0.1-1.0 |

^{*}In accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200), the specific chemical identity or exact weight % has been withheld as a trade secret.

SECTION 4: FIRST-AID MEASURES

4.1. DESCRIPTION OF FIRST AID MEASURES

First-aid measures general

: If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.

First-aid measures after inhalation

: IF INHALED: Remove to fresh air and keep at rest in a comfortable position for breathing.

First-aid measures after skin contact

: IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention.



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/22/2020 Revision date: 03/28/2021 Version: 4.0

First-aid measures after eye contact : IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact

lenses if present and easy to do so. Continue rinsing if pain, blinking, or irritation develops

or persists, get medical attention. Continue rinsing.

First-aid measures after ingestion : IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from

poison control center. Get medical attention if you feel unwell.

4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS (ACUTE AND DELAYED)

Symptoms/effects : Causes serious eye irritation. May cause an allergic skin reaction.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : May cause gastrointestinal irritation.

4.3. IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT, IF NECESSARY

No additional information available

SECTION 5: FIRE-FIGHTING MEASURES

5.1. SUITABLE (AND UNSUITABLE) EXTINGUISHING MEDIA

Suitable extinguishing media : Dry powder. Foam. Water spray. Carbon dioxide (CO2).

Unsuitable extinguishing media : None known.

5.2. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

Fire hazard : Not flammable.

Explosion hazard : Product is not explosive.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

Firefighting instructions : Use cold water spray to cool fire-exposed containers to minimize risk of rupture. Do not

dispose of fire-fighting water in the environment. Dispose of in accordance with relevant

local regulations. Prevent human exposure to fire, fumes, smoke and products of

combustion.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

General measures : Evacuate area. Keep upwind. Spill should be handled by trained cleaning personnel

properly equipped with respiratory and eye protection.

6.1.1. For non-emergency personnel

Protective equipment : Wear Protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/22/2020 Revision date: 03/28/2021 Version: 4.0

6.1.2. For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

6.2. ENVIRONMENTAL PRECAUTIONS

Prevent entry to sewers and public waters. Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

For containment

: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Prevent entry to sewers and public waters.

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Sweep or shovel spills into appropriate container for disposal.

6.4. REFERENCE TO OTHER SECTIONS

No additional information available

SECTION 7: HANDLING AND STORAGE

7.1. PRECAUTIONS FOR SAFE HANDLING

Precautions for safe handling

: Wear personal protective equipment. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage conditions

: Keep in properly labeled containers. Store away from incompatible materials.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS

| 3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)- (31906-04-4) | | | |
|--|--|----------------------|--|
| ACGIH Remark (ACGIH) 0ELs not established | | OELs not established | |
| OSHA Remark (OSHA) OELs not established | | | |

| 1,3-Benzodioxole-5-carboxaldehyde (120-57-0) | | | |
|--|---------------|----------------------|--|
| OSHA | Remark (OSHA) | OELs not established | |

| Isopropyl alcohol (67-63-0) | | |
|-----------------------------|----------------------|---------------------------|
| ACGIH | ACGIH OEL TWA [ppm] | 200 ppm |
| ACGIH | ACGIH OEL STEL [ppm] | 400 ppm |
| ACGIH | Remark (ACGIH) | Eye & URT irr; CNS impair |
| ACGIH | Regulatory reference | ACGIH 2018 |
| OSHA | OSHA PEL TWA [1] | 980 mg/m ³ |



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/22/2020 Revision date: 03/28/2021 Version: 4.0

| Isopropyl alcohol (67-63-0) | | | |
|---|--------------------------------|------------------------|--|
| OSHA | OSHA PEL TWA [2] | 400 ppm | |
| OSHA | OSHA PEL STEL [1] | 1225 mg/m ³ | |
| OSHA | OSHA PEL STEL [2] | 500 ppm | |
| OSHA | Regulatory reference (US-OSHA) | OSHA | |
| Alcohols, C9-11, ethoxylated (68439-46-3) | | | |
| OSHA | Remark (OSHA) | OELs not established | |

8.2. APPROPRIATE ENGINEERING CONTROLS

Appropriate engineering controls

: Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

8.3. INDIVIDUAL PROTECTION MEASURES/PERSONAL PROTECTIVE EQUIPMENT

Personal protective equipment symbol(s):







Personal protective equipment:

Gloves. Protective goggles. Wear labcoat with full coverage clothing.

Hand protection:

Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Suggested glove materials are:

Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Gloves should be classified under Standard EN 374 or ASTM F1296. Suitable gloves for this specific application can be recommended by the glove supplier.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Lab coat

Respiratory protection:

Use NIOSH (or other equivalent national standard) -approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/22/2020 Revision date: 03/28/2021 Version: 4.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Liquid Color : Pink

Odor : Mild Sweet Scent
Odor threshold : No data available

pH : ~7.5

Melting point : No data available Freezing point : No data available

Boiling point : $\geq 95^{\circ}$ C Flash point : None

Relative evaporation rate (butylacetate=1) : No data available Flammability (solid, gas) : Not Flammable Vapor pressure : No data available Specific Gravity/ Density : 8.403 Lbs. / Ga/l. Relative vapor density at 20 °C : No data available

Relative density : ~ 1.0 Solubility : Complete

Partition coefficient n-octanol/water (Log

Pow)

No data available

Auto-ignition temperature : Will Not Auto Ignite
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive limits : No data available
Explosive properties : No data available
Oxidising properties : No data available

9.2. OTHER INFORMATION

No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

The product is non-reactive under normal conditions of use, storage and transport.

10.2. CHEMICAL STABILITY

Stable under normal conditions.



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/22/2020 Revision date: 03/28/2021 Version: 4.0

10.3. Possibility of Hazardous Reactions

None known.

10.4. CONDITIONS TO AVOID

None under normal use.

10.5. INCOMPATIBLE MATERIALS

No data available.

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

None known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)- (31906-04-4)

LD50 oral rat 3250 µl/kg

1,3-Benzodioxole-5-carboxaldehyde (120-57-0)

LD50 oral rat 2700 mg/kg

Alcohols, C9-11, ethoxylated (68439-46-3)

LD50 oral rat 1400 mg/kg (Source: NZ_CCID)

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Ethylbenzene (100-41-4)

IARC group 2B - Possibly carcinogenic to humans

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : No data available

Symptoms/effects : Causes serious eye irritation. May cause an allergic skin reaction.

Symptoms/effects after inhalation : May cause respiratory irritation.



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/22/2020 Revision date: 03/28/2021 Version: 4.0

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : May cause gastrointestinal irritation.

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY

Ecology - general : No information available.

12.2. PERSISTENCE AND DEGRADABILITY

Fresh Glazed Doughnut Scent Air Freshener & Odor Eliminator

Persistence and degradability No data available.

12.3. BIOACCUMULATIVE POTENTIAL

Fresh Glazed Doughnut Scent Air Freshener & Odor Eliminator

Bioaccumulative potential No information available.

12.4. MOBILITY IN SOIL

No additional information available

12.5. OTHER ADVERSE EFFECTS

No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. DISPOSAL METHODS

Waste treatment methods : Do not discharge to public wastewater systems without permit of pollution control

authorities. No discharge to surface waters is allowed without an NPDES permit.

Product/Packaging disposal : Dispose in a safe manner in accordance with local/national regulations. Do not allow the

recommendations product to be released into the environment.

SECTION 14: TRANSPORT INFORMATION

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

Transportation of Dangerous Goods

Not regulated for transport

Transport by sea (IMDG)

Not regulated for transport



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/22/2020 Revision date: 03/28/2021 Version: 4.0

Air transport (IATA)

Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US FEDERAL REGULATIONS

| Fresh Glazed Doughnut Scent Air Freshener & Odor Eliminator | | |
|--|--|--|
| All chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule"). as of Feb. 2019 or are otherwise exempt. | | |
| SARA Section 311/312 Hazard Classes Health hazard - Serious eye damage or eye irritation Health hazard - Respiratory or skin sensitization | | |

| Benzene (71-43-2) | | | |
|---|--|--|--|
| Subject to reporting requirements of United States SARA Section 313 | | | |
| CERCLA RQ | 10 lb | | |
| Cumene (98-82-8) | | | |
| Subject to reporting requirements of United St | ates SARA Section 313 | | |
| CERCLA RQ | 5000 lb | | |
| Ethylbenzene (100-41-4) | | | |
| Subject to reporting requirements of United St | Subject to reporting requirements of United States SARA Section 313 | | |
| CERCLA RQ | 1000 lb | | |
| Toluene (108-88-3) | | | |
| Subject to reporting requirements of United States SARA Section 313 | | | |
| CERCLA RQ | 1000 lb | | |
| Isopropyl alcohol (67-63-0) | | | |
| Subject to reporting requirements of United States SARA Section 313 | | | |
| Alcohols, C9-11, ethoxylated (68439-46-3) | | | |
| EPA TSCA Regulatory Flag | XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711). | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard | | |

15.2. INTERNATIONAL REGULATIONS

Fresh Glazed Doughnut Scent Air Freshener & Odor Eliminator

All chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule"). as of Feb. 2019 or are otherwise exempt.



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/22/2020 Revision date: 03/28/2021 Version: 4.0

15.3. US STATE REGULATIONS

MARNING:

This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

| Component | Carcinogenicity | Developmental toxicity | Reproductiv e toxicity male | Reproductiv e toxicity female | No significant risk level (NSRL) | Maximum allowable dose level (MADL) |
|----------------------------|-----------------|------------------------|-----------------------------------|-------------------------------------|---|---|
| Myrcene(123-35-3) | Х | | | | | |
| Benzene(71-43-2) | X | Х | Х | | 6.4 µg/day (oral); 13 µg/day (inhalation) | 24 µg/day (oral); 49 µg/day (inhalation) |
| Cumene(98-82-8) | Х | | | | | |
| Ethylbenzene(100-41- 4) | Х | | | | 54 µg/day (inhalation); 41 µg/day (oral) | |
| Toluene(108-88-3) | | Х | | | | 7000 µg/day |

| Component | State or local regulations |
|----------------------------|---|
| Benzene(71-43-2) | U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List |
| Cumene(98-82-8) | U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances |
| Ethylbenzene(100-41-4) | U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List |
| Toluene(108-88-3) | U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List |
| Isopropyl alcohol(67-63-0) | U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List; U.S Pennsylvania - RTK (Right to Know) List |

SECTION 16: OTHER INFORMATION

Other information : Author: JMM.



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/22/2020 Revision date: 03/28/2021 Version: 4.0

NFPA health hazard : 2 - Materials that, under emergency conditions, can

cause temporary incapacitation or residual injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible

materials such as concrete, stone, and sand.


NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



HMIS Hazard Rating

Health: 1Flammability: 0Physical: 0



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.